

Bibliografía completa sobre el dolor

- 1 AEMPS: Antiinflamatorios inhibidores selectivos de la COX-2 y riesgo cardiovascular: nuevas restricciones de uso. Nota informativa Ref. 2005/05. Disponible en: acceso 24/04/2013 http://www.aemps.gob.es/informa/notasInformativas/medicamentosUsoHumano/seguridad/2005/NI_2005-05_antiinflamatorios_COX_2.htm
- 2 Nota informativa AEMPS: Antiinflamatorios inhibidores selectivos de la COX-2: riesgo cardiovascular. Ref. 2005/12. Disponible en: acceso 24/04/2013 http://www.aemps.gob.es/informa/notasInformativas/medicamentosUsoHumano/seguridad/2005/NI_2005-12_antiinflamatorios_COX_2.htm
- 3 AEMPS: Actualización sobre los riesgos aterotrombóticos de los coxibs y Aine tradicionales. Nota informativa Ref. 2006/10. Disponible en: acceso 24/04/2013 http://www.aemps.gob.es/informa/notasInformativas/medicamentosUsoHumano/seguridad/2006/NI_2006-10_coxibs_AINE.htm
- 4 AEMPS: Interacción de clopidogrel con los inhibidores de la bomba de protones: actualización de la información y recomendaciones de uso. Nota informativa Ref. 2010/04. Disponible en: acceso 24/04/2013 http://www.aemps.gob.es/informa/notasInformativas/medicamentosUsoHumano/seguridad/2010/NI_2010-04_clopidogrel.htm
- 5 AEMPS. Seguridad cardiovascular de los AINEs tradicionales: conclusiones de la revisión de los últimos estudios publicados. Nota informativa. 2012.
- 6 Aguilar- Luque, J; Herrera-Silva , J ; García - Martínez , F ; Tratamiento del dolor crónico en Atención Primaria. Rev Soc Esp Dolor 7 (2000); 7 :453 – 459. Disponible en: acceso 24/04/2013 <http://revista.sedolor.es/articulo.php?ID=310>.
- 7 Pharmacological management of persistent pain in older persons. J Am Geriatr. Soc. 57. United States 2009. p. 1331-46.
- 8 Álvarez-González J, Ayuso-Fernández A, Caba-Barrientos F, Caraballo-Daza M, Cosano-Prieto I, Salvador-Criado-de-Reyna S, Plan Andaluz de Atención a las Personas con Dolor: Junta de Andalucía. Consejería de Salud; 2010. Disponible en: http://www.juntadeandalucia.es/salud/export/sites/cs salud/galerias/documentos/c_1_c_6_planes_estrategias/plan_de_atencion_al_dolor/plan_atencion_dolor.pdf.

- 9 Amado-Guirado E, Durán-Parrondo C, Izko-Gartzia N, Massot-Mesquida M, Limón-Ramírez E, Palma-Morgado D, et al. Elementos básicos del abordaje de la medicación en el paciente crónico: información al paciente, conciliación, revisión y adherencia. Madrid. Spain: Ala Oeste; 2012.
- 10 Association ACP. ACPA Resource Guide to Chronic Pain Medication and Treatment. Rocking. EE.UU.: American Chronic Pain Association; 2012.
- 11 Pharmacological management of persistent pain in older persons. *Pain Med.* 2009; 10(6):1062-83.
- 12 Andrade DC, Faria JW, Caramelli P, Alvarenga L, Galhardoni R, Siqueira SR, et al. The assessment and management of pain in the demented and non-demented elderly patient. *Arq. Neuropsiquiatr.* 2011; 69(2B):387-94.
- 13 Ballantyne JC, LaForge KS. Opioid dependence and addiction during opioid treatment of chronic pain. *Pain.* 129. Netherlands2007. p. 235-55.
- 14 Barber JB, Gibson SJ. Treatment of chronic non-malignant pain in the elderly: safety considerations. *Drug Saf.* 2009;32(6):457-74.
- 15 Bonica JJ. Evolution and current status of pain programs. *J Pain Symptom Manage.* 1990; 5(6):368-74.
- 16 Bonica JJ. History of pain concepts and pain therapy. *Mt Sinai J Med.* 1991; 58(3):191-202.
- 17 Boureau F, Legallicier P, Kabir-Ahmadi M. Tramadol in post-herpetic neuralgia: a randomized, double-blind, placebo-controlled trial. *Pain.* 104. Netherlands2003. p. 323-31.
- 18 Breivik H, Collett B, Ventafridda V, Cohen R, Gallacher D. Survey of chronic pain in Europe: prevalence, impact on daily life, and treatment. *Eur J Pain.* 10. England2006. p. 287-333.
- 19 Caraceni A, Hanks G, Kaasa S, Bennett MI, Brunelli C, Cherny N, et al. Use of opioid analgesics in the treatment of cancer pain: evidence-based recommendations from the EAPC. *Lancet Oncol.* 2012; 13(2):e58-68.
- 20 Carrera Merino A. y Guerra García M. Atención Farmacéutica: conceptos y metodología. *Manual de Atención Primaria.* 2006. pp. 779-791.
- 21 Catalá E, Ferrándiz M, Lorente L, Landaluce Z, Genové M. Uso de opioides en el tratamiento del dolor crónico no oncológico. Recomendaciones basadas en las guías de práctica clínica. *Revista española de anestesiología y reanimación.* 2011; 58(5):283-89.
- 22 CADIME. Tratamiento del dolor irruptivo. *Boletín Terapéutico Andaluz: CADIME.* Escuela Andaluza de Salud Pública; 2011.
- 23 Cherny N, Ripamonti C, Pereira J, Davis C, Fallon M, McQuay H, Strategies to manage the adverse effects of oral morphine: an evidence-based report. *J Clin Oncol.* 2001; 19(9):2542-54.
- 24 Colson J, Koyyalagunta D, Falco FJ, Manchikanti L. A systematic review of observational studies on the effectiveness of opioid therapy for cancer pain. *Pain Physician.* 2011; 14(2):E85-102.

- 25 De Andrés, J; Soriano, J; Monsalve, V; Utilidad del Índice de Lattinen (IL) en la evaluación del dolor crónico: relaciones con afrontamiento y calidad de vida. Rev. Soc. Esp. Dolor 13 (2006); 4 :216 – 229.
- 26 Denison Davies E, Schneider F, Childs S, Hucker T, Krikos D, Peh J. A prevalence study of errors in opioid prescribing in a large teaching hospital. Int J Clin Pract. 2011; 65(9):923-9.
- 27 Estrategia SERGAS 2014. La Sanidad Pública al servicio del paciente. Disponible en:
http://www.sergas.es/Docs/Conselleria/Estrategia_Sergas_2014.pdf.
- 28 European Medicines Agency. Review of recent published data on cardiovascular safety of NSAIDs. 19 October 2012. EMA/CHMP/667707/2012. Press Office. Disponible en:
http://www.ema.europa.eu/ema/index.jsp?curl=pages/news_and_events/news/2012/10/news_detail_001637.jsp&mid=WC0b01ac058004d5c1.
- 29 Ficha de evaluación terapéutica tapentadol (FET_2012_6). Disponible en:
http://www.navarra.es/NR/rdonlyres/719040C1-6A87-4B9D-941C-8629FBD90598/229574/FET_2012_6.pdf.
- 30 Finnerup NB, Otto M, McQuay HJ, Jensen TS, Sindrup SH. Algorithm for neuropathic pain treatment: an evidence based proposal. Pain. 118. Netherlands2005. p. 289-305.
- 31 Finnerup NB, Sindrup SH, Jensen TS. The evidence for pharmacological treatment of neuropathic pain. Pain. 150. Netherlands: 2010 International Association for the Study of Pain. Published by Elsevier B.V; 2010. p. 573-81.
- 32 Gamero Ruiz F, Gabriel Sanchez R, Carbonell Abello J, Tornero Molina J, Sánchez-Magro I. [Pain in Spanish rheumatology outpatient offices: EPIDOR epidemiological study]. Rev Clin Esp. 205. Spain2005. p. 157-63.
- 33 Gloth FM, 3rd. Pharmacological management of persistent pain in older persons: focus on opioids and nonopioids. J Pain. 12. United States: 2011 American Pain Society. Published by Elsevier Inc; 2011. p. S14-20.
- 34 SALUD. Grupo de Trabajo Zaragoza I. Guía de Práctica Clínica. Los Inhibidores de la bomba de protones en la prevención de gastropatías secundarias a fármacos. Zaragoza: Unidad docente de medicina familiar y comunitaria. Sector Zaragoza I.; 2012.
- 35 Harati Y, Gooch C, Swenson M, Edelman S, Greene D, Raskin P, et al. Double-blind randomized trial of tramadol for the treatment of the pain of diabetic neuropathy. Neurology. 1998; 50(6):1842-6.
- 36 Hartrick CT, Rodriguez Hernandez JR. Tapentadol for pain: a treatment evaluation. Expert Opin Pharmacother. 2012; 13(2):283-6.
- 37 Herdman M, Badia X, Berra S. [EuroQol-5D: a simple alternative for measuring health-related quality of life in primary care]. Aten. Primaria. 2001; 28(6):425-30.
- 38 Hojsted J, Sjogren P. Addiction to opioids in chronic pain patients: a literature review. Eur J Pain. 11. England2007. p. 490-518.
- 39 Hollingshead J, Duhmke RM, Cornblath DR. Tramadol for neuropathic pain. Cochrane Database Syst Rev. 2006(3):CD003726.

- 40 Hoy SM. Tapentadol extended release: in adults with chronic pain. *Drugs*. 72. New Zealand 2012. p. 375-93.
- 41 Jackman RP, Purvis JM, Mallett BS. Chronic nonmalignant pain in primary care. *Am Fam Physician*. 2008; 78(10):1155-62.
- 42 Kahan M, Mailis-Gagnon A, Wilson L, Srivastava A, Group NOUG. Canadian guideline for safe and effective use of opioids for chronic noncancer pain: clinical summary for family physicians. Part 1: general population. *Can Fam Physician*. 2011; 57(11):1257-66, e407-18.
- 43 Kahan M, Wilson L, Mailis-Gagnon A, Srivastava A, Group NOUG. Canadian guideline for safe and effective use of opioids for chronic noncancer pain: clinical summary for family physicians. Part 2: special populations. *Can Fam Physician*. 2011;57(11):1269-76, e419-28.
- 44 Khan MI, Walsh D, Brito-Dellán N. Opioid and adjuvant analgesics: compared and contrasted. *Am J Hosp Palliat Care* 2011; 28: 378-83.
- 45 López , R.; Portolés , A.; Camba , M. A.; Rodríguez , M. J.; González-Escalada , J. R.; Recomendaciones para el tratamiento del dolor neuropático. *Rev. Soc. Esp. Dolor* 16 (2009); 8 :445 – 467.
- 46 Manchikanti L, Abdi S, Atluri S, Balog CC, Benyamin RM, Boswell MV, et al. American Society of Interventional Pain Physicians (ASIPP) guidelines for responsible opioid prescribing in chronic non-cancer pain: Part 2--guidance. *Pain Physician*. 2012; 15(3 Suppl):S67-116.
- 47 Manchikanti L, Abdi S, Atluri S, Balog CC, Benyamin RM, Boswell MV, et al. American Society of Interventional Pain Physicians (ASIPP) guidelines for responsible opioid prescribing in chronic non-cancer pain: Part I--evidence assessment. *Pain Physician*. 2012; 15(3 Suppl):S1-65.
- 48 Manchikanti L, Ailinani H, Koyyalagunta D, Datta S, Singh V, Eriator I, et al. A systematic review of randomized trials of long-term opioid management for chronic non-cancer pain. *Pain Physician*. 2011; 14(2):91-121.
- 49 Manchikanti L, Vallejo R, Manchikanti KN, Benyamin RM, Datta S, Christo PJ. Effectiveness of long-term opioid therapy for chronic non-cancer pain. *Pain Physician*. 2011; 14(2):E133-56.
- 50 Martínez-Salio A, Gómez De la Cámara A, Ribera Canudas MV, Montero Homs J, Blanco Tarrío E, Collado Cruz A, et al. Diagnosis and treatment of the neuropathic pain. *Med Clin (Barc)*. 133. Spain 2009. p. 629-36.
- 51 Mellado M. Curso multidisciplinar de actualización sobre manejo de opioides: manejo de opioides en A.P. Cádiz.
- 52 Mencías AB., Rodríguez JL. Consideraciones sobre el empleo de opioides en el dolor crónico del paciente geriátrico. *Rev. Soc. Esp. Dolor*. 2008 [citado 2013 Abr 29]; 7: 463-474. Disponible en: <http://scielo.isciii.es/pdf/dolor/v15n7/revision.pdf>
- 53 Mercadante S. Opioid titration in cancer pain: a critical review. *Eur J Pain*. 11. England 2007. p. 823-30.
- 54 Ministerio de Sanidad Servicios Sociales e Igualdad. Guía de Prescripción Terapéutica. Información de medicamentos autorizados en España. Analgésicos Opioides.

- 55 Montes-Gomez E, Plasencia-Nunez M, Moreno-Valentin G, Robaina-Padron F, Padilla-Luz A, Gómez-Rodríguez-de-Acuña A, et al. Dolor Crónico No Oncológico (2ª parte). Gran Canaria: Direccion General de Farmacia del Servicio Canario de Salud / Servicio Canario de Salud; 2011.
- 56 Montes-Gómez E, Plasencia-Nunez M, Moreno-Valentín G, Robaina-Padrón F, Pérez-Pérez M, Aguiar-Bautista JT-D, A. Dolor Crónico No Oncológico (1ª parte). Direccion General de Farmacia del Servicio Canario de Salud / Servicio Canario de Salud; 2010.
- 57 Moore RA, Wiffen PJ, Derry S, McQuay HJ. Gabapentin for chronic neuropathic pain and fibromyalgia in adults. *Cochrane Database Syst Rev*. 2011(3):CD007938.
- 58 National Pain Strategy. Pain Management for all Australians. Melbourne. Australia2010.
- 59 NICE. CG96 Neuropathic pain - pharmacological management: NICE guideline. London. UK2010.
- 60 Pergolizzi J, Böger RH, Budd K, Dahan A, Erdine S, Hans G, et al. Opioids and the management of chronic severe pain in the elderly: consensus statement of an International Expert Panel with focus on the six clinically most often used World Health Organization Step III opioids (buprenorphine, fentanyl, hydromorphone, methadone, morphine, oxycodone). *Pain Pract*. 2008; 8(4):287-313.
- 61 Quintana JM, Arostegui I, Cabriada J, Lopez de Tejada I, Perdigo L. Predictors of improvement in health-related quality of life in patients undergoing cholecystectomy. *Br J Surg*. 2003; 90(12):1549-55.
- 62 Quintana JM, Cabriada J, Arostegui I, Lopez de Tejada I, Bilbao A. Quality-of-life outcomes with laparoscopic vs open cholecystectomy. *Surg Endosc*. 2003; 17(7):1129-34.
- 63 Rehm S, Binder A, Baron R. Post-herpetic neuralgia: 5% lidocaine medicated plaster, pregabalin, or a combination of both? A randomized, open, clinical effectiveness study. *Curr Med Res Opin*. 2010; 26(7):1607-19.
- 64 Reisner L. Pharmacological management of persistent pain in older persons. *J Pain*. 12. United States: 2011. Published by Elsevier Inc.; 2011. p. S21-9.
- 65 Riemsma R, Forbes C, Harker J, Worthy G, Misso K, Schafer M, et al. Systematic review of tapentadol in chronic severe pain. *Curr Med Res Opin*. 2011; 27(10):1907-30.
- 66 Ribera MV, Gálvez R, Vidal MA. Patrones de uso de los opioides mayores en el dolor de origen neuropático. *Rev. Soc. Esp. Dolor* 2007; 4: 266-73.
- 67 Rodríguez-López M, Cáliz-Cáliz R, Castilla-Serrano F, Esteve-Zaragoza R, Garcia-Montes I, Guerra-de-Hoyos J, Dolor Crónico No Oncológico. Proceso Asistencial Integrado. Sevilla: PDF-Sur s.c.a.; 2007. Disponible en: http://www.juntadeandalucia.es/salud/export/sites/csalud/galerias/documentos/p_3_p_3_procesos_asistenciales_integrados/dolor_cronico_no_oncologico/dolor_cronico_no_oncologico.pdf.

- 68 Rodrigo M.D., Herrera J., Busquets C., Pozo C. del, López M. Intercambiabilidad de opioides y moléculas bioequivalentes. Rev. Soc. Esp. Dolor [revista en la Internet]. 2010 Mar [citado 2013 Abr 29]; 17(2): 104-113. Disponible en: http://scielo.isciii.es/scielo.php?script=sci_arttext&pid=S1134-80462010000200006&lng=es
- 69 Sabatowski R, Hans G, Tacke I, Kapanadze S, Buchheister B, Baron R. Safety and efficacy outcomes of long-term treatment up to 4 years with 5% lidocaine medicated plaster in patients with post-herpetic neuralgia. Curr Med Res Opin. 2012; 28(8):1337-46.
- 70 SEFAP. Manual de Farmacia de A.P. 2011. Disponible en: http://www.sefap.org/media/upload/arxiu/area-conocimiento/SEFAP_Manual_complet.pdf.
- 71 Stewart C, Leveille SG, Shmerling RH, Samelson EJ, Bean JF, Schofield P. Management of persistent pain in older adults: the MOBILIZE Boston Study. J Am Geriatr Soc. 2012; 60(11):2081-6.
- 72 Treede RD, Jensen TS, Campbell JN, Cruccu G, Dostrovsky JO, Griffin JW, et al. Neuropathic pain: redefinition and a grading system for clinical and research purposes. Neurology. 70. United States 2008. p. 1630-5.
- 73 Trescot AM, Glaser SE, Hansen H, Benyamin R, Patel S, Manchikanti L. Effectiveness of opioids in the treatment of chronic non-cancer pain. Pain Physician. 2008; 11(2 Suppl):S181-200.
- 74 Trescot AM, Helm S, Hansen H, Benyamin R, Glaser SE, Adlaka R, et al. Opioids in the management of chronic non-cancer pain: an update of American Society of the Interventional Pain Physicians' (ASIPP) Guidelines. Pain Physician. 2008; 11(2 Suppl):S5-S62.
- 75 Turk DC, Wilson HD, Cahana A. Treatment of chronic non-cancer pain. Lancet. 2011; 377(9784):2226-35.
- 76 Vickers AJ, Cronin AM, Maschino AC, Lewith G, MacPherson H, Foster NE, et al. Acupuncture for chronic pain: individual patient data meta-analysis. Arch Intern Med. 2012; 172(19):1444-53.
- 77 Vissers KC, Besse K, Hans G, Devulder J, Morlion B. Opioid rotation in the management of chronic pain: where is the evidence? Pain Pract. 10. 2010. p. 85-93.
- 78 Wetherell JL, Afari N, Rutledge T, Sorrell JT, Stoddard JA, Petkus AJ, et al. A randomized, controlled trial of acceptance and commitment therapy and cognitive-behavioral therapy for chronic pain. Pain. 2011; 152(9):2098-107.
- 79 WHO. Scoping Document for WHO Treatment Guideline on Non-malignant Pain in Adults. 2008.
- 80 Wismer B, Amann T, Diaz R, Eisen D, Elder N, Ho C, et al. Recommendations for the Care of Homeless Adults with Chronic Non-Malignant Pain. In: Health Care for the Homeless Clinicians' Network N, Council HCftH, editors. Nashville 2011. p. 128.

- 81 Castillo-Bueno MD, Moreno-Pina JP, Martínez-Puente MV, Artiles-Suárez MM, Company-Sancho MC, García-Andrews MC, Sánchez-Villar I, Hernández-Pérez R. Effectiveness of nursing intervention for adult patients experiencing chronic pain: a systematic review. Base de Datos de Revisiones Sistemáticas del Joanna Briggs Institute. Disponible en:
<http://www.joannabriggslibrary.org/index.php/jbisrir/article/view/821/1127>
<http://www.murciasalud.es/recursos/ficheros/210889-RS-DOLOR-CRONICO-ESPANOL.pdf>